GOVERNMENT OF ANDHRA PRADESH
ABSTRACT

EFS&T Department – Forest Reservation – SPSR Nellore District and Division – Udayagiri Range - Declaration – Kothapeta Block to an extent of 118.89 Ha. or 293.78 Acres of Compensatory Afforestation land in Sy.Nos.1-1, 1-2 etc., of Kothapeta Village of Duttalur Mandal in SPSR Nellore District as Protected Forest under section 24 of the Andhra Pradesh Forest Act, 1967 (Act No.1 of 1967) – Notification – Orders – Issued.

ENVIRONMENT, FORESTS, SCIENCE & TECHNOLOGY (Section.II) DEPARTMENT

G.O.Ms.No.28 **Dated:12.05.2022**
Read:-

From PCCF & HoFF, A.P., Lr.Rc.No.3558/2022/WLR-1, dt.13.04.2022.

***

ORDER:

The appended notification in English and Telugu versions, under section 24 of the Andhra Pradesh Forest Act, 1967, (Act No.1 of 1967) for reservation of Kothapeta Block in Sy.Nos.1-1, 1-2 etc., of Kothapeta Village of Duttalur Mandal in SPSR Nellore District to an extent of 118.89 Ha. or 293.78 Acres of Compensatory Afforestation land, submitted by Principal Chief Conservator of Forests & Head of Forest Force, Andhra Pradesh, Guntur, in his letter read above, is approved and forwarded to the Commissioner of Printing, Stationery and Stores Purchase (Printing Wing), Andhra Pradesh, Vijayawada. He is requested to get the notification published both in English and Telugu in the next issue of the Andhra Pradesh Gazette and furnish Five (5) copies of the Gazette to the Government and Fifty (50) copies to the Principal Chief Conservator of Forests & Head of Forest Force, Andhra Pradesh, Guntur.

2. The District Collector, SPSR Nellore District, is requested to get the appended notification published in the District Gazette, after its publication in the Andhra Pradesh Gazette and on receipt of specific requisition from the District Forest Officer, SPSR Nellore District.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)
NEERABH KUMAR PRASAD
SPCIAL CHIEF SECRETARY TO GOVERNMENT

To
The Commissioner of Printing, Stationery and Stores Purchase (Printing),
Andhra Pradesh, Vijayawada (w.e.)
The District Collector, SPSR Nellore District (w.e)
The Principal Chief Conservator of Forests & HoFF,
Andhra Pradesh, Guntur (w.e)
The Chief Commissioner of Land Administration,
Gollapudi, Vijayawada (w.e)

Copy to:
The District Forest Officer, SPSR Nellore District (w.e)
The Law (G) Department
SF/SCs (Computer No.1697450)

// FORWARDED :: BY ORDER //

N. Jagadeeswari
SECTION OFFICER

NOTIFICATION

In exercise of the powers conferred by sub-section (1) of Section 24 of the Andhra Pradesh Forest Act, (Act No.1 of 1967), the Government of Andhra Pradesh hereby declare that the forest land described in the schedule below (delineated in the map kept in the Office of the Principal Chief Conservator of Forests, Andhra Pradesh, Guntur) to be a "Protected Forest" with effect from the date of publication of this notification in the Andhra Pradesh Gazette.

SCHEDULE

Name of the District	:	SPSR Nellore
Name of the Division	:	Nellore
Name of the Range	:	Udayagiri
Name of the Mandal	:	Duttalur
Name of the Villages	:	Kothapeta
Name of the Block proposed to be Protected Forest	:	Kothapeta Block
Area of the Forest Block proposed to be Protected Forest	:	118.89 Ha. (or) 293.78 Ac.

DETAILS OF AREAS INCLUDED IN THE PROPOSED PROTECTED FOREST BLOCK

Sl. No.	Name of the Village	Sy. No.	Classification of the land	Total extent (in Ac.)	Area included in the Block (Ac. Cents)
(1)	(2)	(3)	(4)	(5)	(6)
1	Kothapeta	1-1	Patta	18.10	18.10
2	Kothapeta	1-2	Patta	3.51	3.51
3	Kothapeta	1-3A	Patta	171.50	171.50
4	Kothapeta	1-3B1	Patta	12.39	12.39
5	Kothapeta	431	Patta	4.58	4.58
6	Kothapeta	443	Patta	10.10	10.10
7	Kothapeta	445	Patta	51.10	51.10
8	Kothapeta	447-A	Patta	112.50	22.50
			TOTAL	**383.78**	**293.78 Ac (or) 118.89 Ha.**

BOUNDARIES

NORTH: Starting from Station No. 1, which is located at Latitude of 14.96251 and Longitude of 79.45566 runs upto Station No. 24 which is located at Latitude 14.96945 and Longitude 79.46786 as per Magnetic bearings and distances and DGPS co-ordinates are as detailed below.

Compass survey				DGPS co-ordinates			Remarks
Station No.		Magnetic bearings in degrees	Distance in meters	Station No.	Latitude	Longitude	
From	To						
1	2	40°	83	1	14.96251	79.45566	Along the boundary of Sy.No. 611 of Kaniyampadu Village.
2	3	41°	54	2	14.96308	79.45616	Along the boundary of Sy.Nos. 611 & 612 of Kaniyampadu Village.
3	4	46°	28	3	14.96345	79.45649	
4	5	46°	36	4	14.96362	79.45668	
5	6	57°	62	5	14.96385	79.45691	
6	7	58°	58	6	14.96415	79.45740	Along the boundary of Sy.Nos. 612 & 418 of Kaniyampadu Village.
7	8	58°	86	7	14.96442	79.45786	
8	9	61°	73	8	14.96483	79.45853	
9	10	63°	82	9	14.96515	79.45913	
10	11	64°	81	10	14.96549	79.45980	Along the boundary of Sy.Nos. 420 & 421 of Kaniyampadu Village.
11	12	66°	79	11	14.96581	79.46047	
12	13	64°	80	12	14.96609	79.46114	
13	14	65°	91	13	14.96640	79.46181	
14	15	66°	47	14	14.96675	79.46257	
15	16	66°	66	15	14.96693	79.46298	
16	17	70°	50	16	14.96717	79.46354	Along the boundary of Sy.No. 421 (Road) of Kaniyampadu Village.
17	18	60°	90	17	14.96732	79.46398	Along the boundary of Sy.No. 428 of Kaniyampadu Village.
18	19	50°	73	18	14.96773	79.46470	Along the boundary of Sy.No. 427 of Kaniyampadu Village.
19	20	68°	56	19	14.96815	79.46522	
20	21	56°	85	20	14.96834	79.46570	
21	22	66°	80	21	14.96876	79.46636	
22	23	65°	50	22	14.96906	79.46704	
23	24	62°	48	23	14.96925	79.46747	
				24	14.96945	79.46786	

EAST: Starting from Station No. 24, which is located at Latitude of 14.96945 and Longitude of 79.46786 runs upto Station No. 68 which is located at Latitude 14.95858 and Longitude 79.46841 as per Magnetic bearings and distances and DGPS co-ordinates are as detailed below:

Compass survey				DGPS co ordinates			Remarks
Station No.		Magnetic bearings in degrees	Distance in meters	Station No.	Latitude	Longitude	
From	To						
24	25	187°	74	24	14.96945	79.46786	Along the boundary of Sy.No. 447-B of Kotha Peta Village.
25	26	187°	116	25	14.96879	79.46778	
26	27	187°	40	26	14.96776	79.46765	
27	28	187°	86	27	14.96740	79.46760	
28	29	187°	83	28	14.96663	79.46751	
29	30	187°	78	29	14.96589	79.46741	
30	31	187°	57	30	14.96520	79.46733	
31	32	187°	72	31	14.96469	79.46726	
32	33	187°	82	32	14.96405	79.46718	
33	34	187°	40	33	14.96332	79.46709	
34	35	187°	43	34	14.96296	79.46704	
35	36	92°	51	35	14.96257	79.46700	
36	37	159°	48	36	14.96255	79.46747	
37	38	148°	44	37	14.96215	79.46763	
38	39	153°	48	38	14.96181	79.46785	
39	40	77°	15	39	14.96143	79.46805	
40	41	162°	25	40	14.96146	79.46819	
41	42	120°	20	41	14.96125	79.46826	
42	43	207°	27	42	14.96116	79.46842	
43	44	223°	72	43	14.96094	79.46830	Along the boundary of Sy.No. 442 of Kotha Peta Village.
44	45	230°	35	44	14.96046	79.46785	Along the boundary of Sy.No. 444 of Kotha Peta Village.
45	46	278°	67	45	14.96026	79.46760	
46	47	254°	73	46	14.96034	79.46698	
47	48	7°	89	47	14.96016	79.46633	Along the boundary of Sy.No. 446 (Kunta) of Kotha Peta Village.
48	49	5°	77	48	14.96095	79.46643	
49	50	1°	83	49	14.96164	79.46649	
50	51	332°	13	50	14.96239	79.46650	
51	52	298°	83	51	14.96250	79.46644	
52	53	299°	54	52	14.96285	79.46576	
53	54	193°	84	53	14.96308	79.46533	
54	55	201°	175	54	14.96235	79.46516	
55	56	120°	80	55	14.96087	79.46458	
56	57	122°	63	56	14.96052	79.46522	
57	58	100°	61	57	14.96022	79.46572	
58	59	85°	112	58	14.96013	79.46628	Along the

Compass survey				DGPS co ordinates			Remarks
Station No.		Magnetic bearings in degrees	Distance in meters	Station No.	Latitude	Longitude	
From	To						
59	60	120°	78	59	14.96022	79.46732	boundary of Sy.No. 444 of Kotha Peta Village.
60	61	36°	23	60	14.95987	79.46795	
61	62	29°	88	61	14.96003	79.46807	Along the boundary of Sy.No. 442 of Kotha Peta Village.
62	63	85°	19	62	14.96073	79.46847	
63	64	203°	97	63	14.96074	79.46864	Along the boundary of Sy.No. 433 of Kotha Peta Village.
64	65	198°	49	64	14.95994	79.46829	
65	66	158°	48	65	14.95952	79.46815	
66	67	171°	39	66	14.95912	79.46831	
67	68	170°	22	67	14.95877	79.46837	
				68	14.95858	79.46841	

SOUTH: Starting from Station No. 68, which is located at Latitude of 14.95858 and Longitude 79.46841 runs upto Station No. 92 which is located at Latitude 14.95740 and Longitude 79.45737 as per Magnetic bearings and distances and DGPS co-ordinates are as detailed below:

Compass survey				DGPS co ordinates			Remarks
Station No.		Magnetic bearings in degrees	Distance in meters	Station No.	Latitude	Longitude	
From	To						
68	69	276°	71	68	14.95858	79.46841	Along the boundary of Sy.No. 429 of Kotha Peta Village.
69	70	278°	55	69	14.95865	79.46775	
70	71	267°	81	70	14.95871	79.46725	Along the boundary of Sy.No. 430 of Kotha Peta Village.
71	72	270°	85	71	14.95867	79.46650	
72	73	288°	60	72	14.95867	79.46571	
73	74	213°	13	73	14.95884	79.46518	
74	75	279°	10	74	14.95874	79.46511	
75	76	185°	65	75	14.95875	79.46502	
76	77	192°	91	76	14.95817	79.46497	
77	78	193°	90	77	14.95737	79.46479	
78	79	286°	83	78	14.95659	79.46460	Along the boundary of Sy.No. 394 of Kotha Peta Village.
79	80	294°	91	79	14.95680	79.46386	Along the boundary of Sy.No. 393 of
80	81	299°	16	80	14.95712	79.46308	

Compass survey				DGPS co ordinates			Remarks
Station No.		Magnetic bearings in degrees	Distance in meters	Station No.	Latitude	Longitude	
From	To						
81	82	302°	74	81	14.95719	79.46295	Kotha Peta Village.
82	83	300°	71	82	14.95754	79.46237	
83	84	303°	73	83	14.95787	79.46180	Along the boundary of Sy.Nos. 391 & 390 of Kotha Peta Village.
84	85	245°	106	84	14.95822	79.46123	Along the boundary of Sy.No.390 of Kotha Peta Village.
85	86	190°	63	85	14.95782	79.46034	
86	87	190°	71	86	14.95726	79.46023	
87	88	185°	14	87	14.95663	79.46012	
88	89	309°	98	88	14.95651	79.46011	Along the boundary of Sy.No.389 of Kotha Peta Village.
89	90	315°	103	89	14.95706	79.45940	
90	91	251°	94	90	14.95772	79.45872	
91	92	265°	56	91	14.95745	79.45789	
				92	14.95740	79.45737	

WEST: Starting from Station No. 92, which is located at Latitude of 14.95740 and Longitude 79.45737 runs upto Station No. 100 which is located at Latitude 14.96213 and Longitude 79.45562 and then runs upto stations No. 01, the starting point which is located at Latitude of 14.96251 and Longitude of 79.45566 as per Magnetic bearings and distances and DGPS co-ordinates are as detailed below:

Compass survey				DGPS co ordinates			Remarks
Station No.		Magnetic bearings in degrees	Distance in meters	Station No.	Latitude	Longitude	
From	To						
92	93	323°	85	92	14.95740	79.45737	Along the boundary of Sy.No.1-3B2 of Kotha Peta Village and reaches station No. 1, the starting point.
93	94	323°	79	93	14.95801	79.45690	
94	95	323°	59	94	14.95858	79.45645	
95	96	323°	61	95	14.95900	79.45612	
96	97	323°	65	96	14.95944	79.45578	
97	98	5°	66	97	14.95990	79.45542	
98	99	5°	77	98	14.96049	79.45547	
99	100	5°	105	99	14.96118	79.45554	
100	01	5°	43	100	14.96213	79.45562	
				01	14.96251	79.45566	

REMARKS

1) There are no enclosures to be admitted within the Block.

2) No right of way/right of water course are admitted in the block:

3) In exercise of Powers conferred by the sub-section (1) of section 24 of the Andhra Pradesh Forest Act, 1967 (Act No.1 of 1967), the Government of Andhra Pradesh hereby declare that all kinds of trees and all classes of trees in the said "**Kothapeta Block**" Protected Forest to be reserved from the date of publication of this notification in Andhra Pradesh Gazette and District Gazette.

4) And prohibits, except in accordance with the rules made down under this Act, from the date of aforesaid the quarrying, or the burning of line, or charcoal or the collection of subjection of any manufacturing process or removal of any forest produce in the said "**Kothapeta Block**" Protected Forest and the breaking up or clearing for cultivation for building, for handing cattle or for any other purpose of the said "**Kothapeta Block**" Protected Forest.

NEERABH KUMAR PRASAD
SPCIAL CHIEF SECRETARY TO GOVERNMENT
EFS&T DEPARTMENT

ప్రకటన

ఆంధ్రప్రదేశ్ ప్రభుత్వము అటవీ శాఖవారి అటవీ చట్టము1967 (1967లోని మొదటి చట్టం) లోని 24 వ విభాగం ద్వారా లభించిన అధికారాలను పురస్కరించుకొని, ఆంధ్రప్రదేశ్ ప్రభుత్వం ఈ క్రింది సూచికలో వివరించిన అటవీ భూమిని (ఆంధ్రప్రదేశ్ అటవీ ప్రధాన సంరక్షనాధికారి, గుంటూరు వారి కార్యాలయంలో ఉంచిన మ్యాపులో వర్ణించబడినది). ఈ ప్రకటనను ఆంధ్రప్రదేశ్ గెజిట్ లో ప్రచురించిన తేది నుండి రక్షిత అడవిగా ఇందుమూలముగా ప్రకటిస్తున్నారు.

షెడ్యూలు

జిల్లా పేరు	:	శ్రీ పొట్టిశ్రీరాములు నెల్లూరు జిల్లా
ఆటవీ డివిజన్ పేరు	:	నెల్లూరు
రెవిన్యూ మండలం పేరు	:	దుత్తలూరు
అటవీ రేంజి పేరు	:	ఉదయగిరి
గ్రామమం పేరు	:	కొత్తపేట
రక్షిత అడవిగా ప్రతిపాదించిన బ్లాకు పేరు	:	కొత్తపేట బ్లాక్
రక్షిత అడవిగా ప్రతిపాదించిన బ్లాకు విస్తీర్ణం	:	**118.89 హెక్టేరులు లేదా ఎ 293.78 సెంట్లు**

బ్లాకు నందు పొందు పరచబడిన ప్రదేశముల వివరములు

వరుస సంఖ్య.	గ్రామము	సర్వే నెంబరు	రెవిన్యూ వర్గీకరణ	మొత్తం విస్తీర్ణం (ఎకరాలలో)	బ్లాకు నందు పొందు పరచబడిన విస్తీర్ణం (ఎకరాలలో)
1	2	3	4	5	6
1	కొత్తపేట	1-1	పట్టా	18.10	18.10
2	కొత్తపేట	1-2	పట్టా	3.51	3.51
3	కొత్తపేట	1-3 ఎ	పట్టా	171.50	171.50
4	కొత్తపేట	1-3బి1	పట్టా	12.39	12.39
5	కొత్తపేట	431	పట్టా	4.58	4.58

వరుస సంఖ్య.	గ్రామము	సర్వే నెంబరు	రెవిన్యూ వర్గీకరణ	మొత్తం విస్తీర్ణం (ఎకరాలలో)	బ్లాకు నందు పొందు పరచబడిన విస్తీర్ణం (ఎకరాలలో)
6	కొత్తపేట	443	పట్టా	10.10	10.10
7	కొత్తపేట	445	పట్టా	51.10	51.10
8	కొత్తపేట	447- ఎ	పట్టా	112.50	22.50
			మొత్తం	ఎ **383.78** సెంట్లు	ఎ **293.78** సెంట్లు (లేదా) **118.89** హెక్టేరులు

సరిహద్దులు

ఉత్తరం: లేటిట్యూడ్ 14.96251 మరియు **లాంగి ట్యూడ్** 79.45566 వద్ద వున్న స్టేషన్ నెం. 01 ప్రయాణించి **లేటిట్యూడ్** 14.96945 మరియు **లాంగి ట్యూడ్** 79.46786 వద్ద వున్న స్టేషన్ నెం. 24 వరకు ఈ క్రింది మాగ్నెటిక్ బేరింగులు మరియు దూరముల మరియు డి. జీ.పి.యస్. రీడింగులు ననుసరించి వెళ్ళును

కాంపాస్ సర్వే				డి. జీ.పి.యస్. రీడింగులు			రిమార్కులు
స్టేషన్ నెం.		మాగ్నెటిక్ బేరింగులు డిగ్రీలలో	దూరం మీటర్లలో	స్టేషన్ నెం.	లేటిట్యూడ్ (డిగ్రీలలో)	లాంగి ట్యూడ్ (డిగ్రీలలో)	
నుండి	వరకు						
1	2	40°	83	1	14.96251	79.45566	కనియంపాడు గ్రామ సర్వే నెంబరు 611 బౌండరీ వెంబడి వెళ్ళును.
2	3	41°	54	2	14.96308	79.45616	కనియంపాడు గ్రామ సర్వే నెంబరు 611 & 612 బౌండరీ వెంబడి వెళ్ళును.
3	4	46°	28	3	14.96345	79.45649	
4	5	46°	36	4	14.96362	79.45668	
5	6	57°	62	5	14.96385	79.45691	
6	7	58°	58	6	14.96415	79.45740	కనియంపాడు గ్రామ సర్వే నెంబరు 612 & 418 బౌండరీ వెంబడి వెళ్ళును.
7	8	58°	86	7	14.96442	79.45786	
8	9	61°	73	8	14.96483	79.45853	
9	10	63°	82	9	14.96515	79.45913	

కాంపాస్ సర్వే				డి. జీ.పి.యస్. రీడింగులు			రిమార్కులు
స్టేషన్ నెం.		మాగ్నెటిక్ బేరింగులు డిగ్రీలలో	దూరం మీటర్లలో	స్టేషన్ నెం.	లేటిట్యూడ్ (డిగ్రీలలో)	లాంగి ట్యూడ్ (డిగ్రీలలో)	
నుండి	వరకు						
10	11	64°	81	10	14.96549	79.45980	కనియంపాడు గ్రామ సర్వే నెంబరు 420 & 421 బౌండరీ వెంబడి వెళ్ళును.
11	12	66°	79	11	14.96581	79.46047	
12	13	64°	80	12	14.96609	79.46114	
13	14	65°	91	13	14.96640	79.46181	
14	15	66°	47	14	14.96675	79.46257	
15	16	66°	66	15	14.96693	79.46298	
16	17	70°	50	16	14.96717	79.46354	కనియంపాడు గ్రామ సర్వే నెంబరు 421 (బండ్ల బాట) బౌండరీ వెంబడి వెళ్ళును.
17	18	60°	90	17	14.96732	79.46398	కనియంపాడు గ్రామ సర్వే నెంబరు 428 బౌండరీ వెంబడి వెళ్ళును.
18	19	50°	73	18	14.96773	79.46470	కనియంపాడు గ్రామ సర్వే నెంబరు 427 బౌండరీ వెంబడి వెళ్ళును.
19	20	68°	56	19	14.96815	79.46522	
20	21	56°	85	20	14.96834	79.46570	
21	22	66°	80	21	14.96876	79.46636	
22	23	65°	50	22	14.96906	79.46704	
23	24	62°	48	23	14.96925	79.46747	
				24	14.96945	79.46786	

తూర్పు: **లేటిట్యూడ్** 14.96945 మరియు **లాంగి ట్యూడ్** 79.46786 వద్ద వున్న స్టేషన్ నెం. 24 ప్రయాణించి **లేటిట్యూడ్** 14.95858 మరియు **లాంగి ట్యూడ్** 79.46841 వద్ద వున్న స్టేషన్ నెం 68 వరకు ఈ క్రింది మాగ్నెటిక్ బేరింగులు మరియు దూరముల మరియు డి. జీ.పి.యస్. రీడింగులు ననుసరించి వెళ్ళును.

కాంపాస్ సర్వే				డి. జి.పి.యస్. రీడింగులు			రిమార్కులు
స్టేషన్ నెం.		మాగ్నెటిక్ బేరింగులు డిగ్రీలలో	దూరం మీటర్లలో	స్టేషన్ నెం.	లేటిట్యూడ్ (డిగ్రీలలో)	లాంగి ట్యూడ్ (డిగ్రీలలో)	
నుండి	వరకు						
24	25	187°	74	24	14.96945	79.46786	కోత్తపేట సర్వే నెంబరు 447- బి, బొండరీ వెంబడి వెళ్ళును.
25	26	187°	116	25	14.96879	79.46778	
26	27	187°	40	26	14.96776	79.46765	
27	28	187°	86	27	14.96740	79.46760	
28	29	187°	83	28	14.96663	79.46751	
29	30	187°	78	29	14.96589	79.46741	
30	31	187°	57	30	14.96520	79.46733	
31	32	187°	72	31	14.96469	79.46726	
32	33	187°	82	32	14.96405	79.46718	
33	34	187°	40	33	14.96332	79.46709	
34	35	187°	43	34	14.96296	79.46704	
35	36	92°	51	35	14.96257	79.46700	
36	37	159°	48	36	14.96255	79.46747	
37	38	148°	44	37	14.96215	79.46763	
38	39	153°	48	38	14.96181	79.46785	
39	40	77°	15	39	14.96143	79.46805	
40	41	162°	25	40	14.96146	79.46819	
41	42	120°	20	41	14.96125	79.46826	
42	43	207°	27	42	14.96116	79.46842	
43	44	223°	72	43	14.96094	79.46830	కోత్తపేట సర్వే నెంబరు 442 బొండరీ వెంబడి వెళ్ళును.
44	45	230°	35	44	14.96046	79.46785	కోత్తపేట సర్వే నెంబరు 444 బొండరీ వెంబడి వెళ్ళును.
45	46	278°	67	45	14.96026	79.46760	
46	47	254°	73	46	14.96034	79.46698	

కాంపాస్ సర్వే				డి. జీ.పి.యస్. రీడింగులు			రిమార్కులు
స్టేషన్ నెం.		మాగ్నెటిక్ బేరింగులు డిగ్రీలలో	దూరం మీటర్లలో	స్టేషన్ నెం.	లేటిట్యూడ్ (డిగ్రీలలో)	లాంగి ట్యూడ్ (డిగ్రీలలో)	
నుండి	వరకు						
47	48	7°	89	47	14.96016	79.46633	కోత్తపేట సర్వే నెంబరు 446 (కుంట) బొండరీ వెంబడి వెళ్ళును.
48	49	5°	77	48	14.96095	79.46643	
49	50	1°	83	49	14.96164	79.46649	
50	51	332°	13	50	14.96239	79.46650	
51	52	298°	83	51	14.96250	79.46644	
52	53	299°	54	52	14.96285	79.46576	
53	54	193°	84	53	14.96308	79.46533	
54	55	201°	175	54	14.96235	79.46516	
55	56	120°	80	55	14.96087	79.46458	
56	57	122°	63	56	14.96052	79.46522	
57	58	100°	61	57	14.96022	79.46572	
58	59	85°	112	58	14.96013	79.46628	కోత్తపేట సర్వే నెంబరు 444 బొండరీ వెంబడి వెళ్ళును.
59	60	120°	78	59	14.96022	79.46732	
60	61	36°	23	60	14.95987	79.46795	
61	62	29°	88	61	14.96003	79.46807	కోత్తపేట సర్వే నెంబరు 442 బొండరీ వెంబడి వెళ్ళును.
62	63	85°	19	62	14.96073	79.46847	
63	64	203°	97	63	14.96074	79.46864	కోత్తపేట సర్వే నెంబరు 433 బొండరీ వెంబడి వెళ్ళును.
64	65	198°	49	64	14.95994	79.46829	
65	66	158°	48	65	14.95952	79.46815	
66	67	171°	39	66	14.95912	79.46831	
67	68	170°	22	67	14.95877	79.46837	
				68	14.95858	79.46841	

దక్షిణము : లేటిట్యూడ్ 14.95858 మరియు **లాంగి ట్యూడ్** 79.46841 వద్ద వున్న స్టేషన్ నెం. 68 ప్రయాణించి **లేటిట్యూడ్** 14.95740 మరియు **లాంగి ట్యూడ్** 79.45737 వద్ద వున్న స్టేషన్ నెం 92 వరకు ఈ క్రింది మాగ్నెటిక్ బేరింగులు మరియు దూరముల మరియు డి. జీ.పి.యస్. రీడింగులు ననుసరించి వెళ్ళును.

కాంపాస్ సర్వే				డి. జి.పి.యస్. రీడింగులు			రిమార్కులు
స్టేషస్ నెం.		మాగ్నెటిక్ బేరింగులు	దూరం మీటర్లలో	స్టేషస్ నెం.	లేటిట్యూడ్ (డిగ్రీలలో)	లాంగి ట్యూడ్ (డిగ్రీలలో)	
నుండి	వరకు						
68	69	276°	71	68	14.95858	79.46841	కోత్తపేట సర్వే నెంబరు 429 బౌండరీ వెంబడి వెళ్ళును.
69	70	278°	55	69	14.95865	79.46775	
70	71	267°	81	70	14.95871	79.46725	కోత్తపేట సర్వే నెంబరు 430 బౌండరీ వెంబడి వెళ్ళును.
71	72	270°	85	71	14.95867	79.46650	
72	73	288°	60	72	14.95867	79.46571	
73	74	213°	13	73	14.95884	79.46518	
74	75	279°	10	74	14.95874	79.46511	
75	76	185°	65	75	14.95875	79.46502	
76	77	192°	91	76	14.95817	79.46497	
77	78	193°	90	77	14.95737	79.46479	
78	79	286°	83	78	14.95659	79.46460	కోత్తపేట సర్వే నెంబరు 394 బౌండరీ వెంబడి వెళ్ళును.
79	80	294°	91	79	14.95680	79.46386	కోత్తపేట సర్వే నెంబరు 393 బౌండరీ వెంబడి వెళ్ళును.
80	81	299°	16	80	14.95712	79.46308	
81	82	302°	74	81	14.95719	79.46295	
82	83	300°	71	82	14.95754	79.46237	
83	84	303°	73	83	14.95787	79.46180	కోత్తపేట సర్వే నెంబరు 391 & 390 బౌండరీ వెంబడి వెళ్ళును.
84	85	245°	106	84	14.95822	79.46123	కోత్తపేట సర్వే నెంబరు 390 బౌండరీ వెంబడి వెళ్ళును.
85	86	190°	63	85	14.95782	79.46034	
86	87	190°	71	86	14.95726	79.46023	
87	88	185°	14	87	14.95663	79.46012	

కాంపాస్ సర్వే				డి. జి.పి.యస్. రీడింగులు			రిమార్కులు
స్టేషన్ నెం.		మాగ్నెటిక్ బేరింగులు	దూరం మీటర్లలో	స్టేషన్ నెం.	లేటిట్యూడ్ (డిగ్రీలలో)	లాంగి ట్యూడ్ (డిగ్రీలలో)	
నుండి	వరకు						
88	89	309°	98	88	14.95651	79.46011	కోత్తపేట సర్వే నెంబరు 389 బౌండరీ వెంబడి వెళ్ళును.
89	90	315°	103	89	14.95706	79.45940	
90	91	251°	94	90	14.95772	79.45872	
91	92	265°	56	91	14.95745	79.45789	
				92	14.95740	79.45737	

పడమర : లేటిట్యూడ్ 14.95740 మరియు లాంగి ట్యూడ్ 79.45737 వద్ద వున్న స్టేషన్ నెం. 92 ప్రయాణించి లేటిట్యూడ్ 14.96213 మరియు లాంగి ట్యూడ్ 79.45562 వద్ద వున్న స్టేషన్ నెం 100 వరకు మరియు లేటిట్యూడ్ 14.96251 మరియు లాంగి ట్యూడ్ 79.45566 వద్ద వున్న స్టేషన్ నెం 01 అనగా ప్రారంభ స్థానం నకు ఈ క్రింది మాగ్నెటిక్ బేరింగులు మరియు దూరముల మరియు డి. జి.పి.యస్. రీడింగులు ననుసరించి వెళ్ళును.

కాంపాస్ సర్వే				డి. జి.పి.యస్. రీడింగులు			రిమార్కులు
స్టేషన్ నెం.		మాగ్నెటిక్ బేరింగులు డిగ్రీలలో	దూరం మీటర్లలో	స్టేషన్ నెం.	లేటిట్యూడ్ (డిగ్రీలలో)	లాంగి ట్యూడ్ (డిగ్రీలలో)	
నుండి	వరకు						
92	93	323°	85	92	14.95740	79.45737	కోత్తపేట సర్వే నెంబరు 1-బి2, బౌండరీ వెంబడి వెళ్ళును మరియు ప్రారంభ స్థానమయిన స్టేషన్ నెం. 1 ని చేరును.
93	94	323°	79	93	14.95801	79.45690	
94	95	323°	59	94	14.95858	79.45645	
95	96	323°	61	95	14.95900	79.45612	
96	97	323°	65	96	14.95944	79.45578	
97	98	5°	66	97	14.95990	79.45542	
98	99	5°	77	98	14.96049	79.45547	
99	100	5°	105	99	14.96118	79.45554	
100	01	5°	43	100	14.96213	79.45562	
				01	14.96251	79.45566	

రిమార్కులు

1) అనుమతింప బడిన రైట్ ఆఫ్ వే (రహదారులు/బాటలు) లేవు.

2) ప్రవేశము మరియు నీటి వినియోగపు హక్కు ఈ బ్లాకు నందు అనుమతించబడలేదు

3) అటవీ చట్టము- 1967 (1967లోని మొదటి చట్టం) లోని 26వ విభాగం, మొదటి సబ్ విభాగం ద్వారా సంక్రమించిన అధికారాలను పురస్కరించుకుని ప్రతిపాదిత "**కొత్తపేట బ్లాకు**" రక్షిత అడవి నుండి అన్ని రకముల మరియు జాతుల చెట్లను, ఈ ప్రకటనను ఆంధ్ర ప్రదేశ్ గజెట్ లో ప్రచురించిన తేది నుండి రక్షిత అడవిగా ప్రకటిస్తున్నారు.

4) మరియు రాళ్ళు క్వారీ చేయడం, సున్నం లేదా బొగ్గు కాల్చడం లేదా తయారీ పద్ధతులకు సంబంధించిన బ్రేకింగ్ గాని, క్లియర్ చేయడం గాని, కట్టడాలు గాని, పశువులు మేపుట గాని మరియు ఏ ఇతర పనులు గాని, సదరు చట్టం లోని నియమాల ప్రకారం తప్ప, "**కొత్తపేట బ్లాకు**" రక్షిత అడవి నందు ఇందుమూలముగా నిషేదించడమయినది.